



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

Laboratory Report

Merrimack Village Dist
2 Greens Pond Rd
Merrimack, NH 03054

Date Printed: 07/02/2025
Work Order #: 2506-06236
Client Job #:
Date Received: 06/25/2025
Sample collected in: New Hampshire

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of the analyzing laboratory's Quality Assurance Plan, Standard Operating Procedures and State Accreditation. This certificate shall not be reproduced, except in full, without the written approval of the analyzing laboratory. The results presented in this report relate to the samples listed on the following pages in the condition in which they were received. Accreditation for each analyte is identified by the * symbol following the analyte name. Location of our analyzing laboratory is identified by the code in the Analyst Column.

A & L Laboratory:
Identified by ME in Analyst Column
155 Center Street, Auburn, Maine 04210
www.allaboratory.com

Granite State Analytical Services LLC:
Identified by NH in Analyst Column
22 Manchester Road, Derry, NH 03038
www.granitestateanalytical.com

Nashoba Analytical:
Identified by MA in the Analyst Column
31A Willow Road, Ayer, MA 01432
www.nashobaanalytical.com

ANALYSIS RELATED NOTES:

- RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.
- DF: "Dilution factor" means the ratio of the volume of the sample to the volume of the final (dilute) solution.
- MDL: "Minimum Detection Limit" means the minimum result which can be reliably discriminated from a blank with a predetermined confidence level.
- ND: Non-detect. Results reported as Non-Detect (ND) have been evaluated down to the concentration listed in the MDL column.
- A & L Laboratory / Granite State Analytical Services LLC / Nashoba Analytical. accreditation lists can be found on our websites listed above.
- Subcontracted samples will be identified by the Accreditation number of the subcontract laboratory in the analyst field for each analyte and the appropriate laboratory will be listed here. **None**
- Data Qualifiers (DQ) Flags provide additional information in regards to the receipt, analysis or quality control of a sample. These are indicated under the DQ Flags Column on your report and listed here if necessary: **Data Qualifier (DQ) Flags: \$ = Surrogate result outside control limits., J = Estimated concentration.**

SAMPLE STATE SPECIFIC NOTES:

Additional Narrative or Comments: **\$ - Matrix effect confirmed by re-extraction and re-analysis.**

We appreciate the opportunity to provide you with laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be happy to assist you.



Donald A. D'Anjou, Ph. D.
Laboratory Director

A & L Laboratory: Accreditations: Maine ME00021, New Hampshire 2501, Maine Radon Registration ID # SPC20
Granite State Analytical Services, LLC: Accreditations: New Hampshire 1015; Maine NH00003;
Massachusetts M-NH0003; Rhode Island 101513; Vermont VT-101507
Nashoba Analytical: Accreditations: Massachusetts M-MA1118



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-001
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-008 (MVD-2)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:28AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroicosafuoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF30NS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorobutanesulfonic Acid (PFBS)*	2.48	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorobutanoic Acid (PFBA)*	2.07	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-001
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-008 (MVD-2)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:28AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoroheptanoic acid (PFHpA)*	2.76	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorohexanesulfonic Acid (PFHxS)*	0.966	ng/L	✓	J	2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorohexanoic acid (PFHxA)*	4.60	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorooctanesulfonic acid (PFOS)*	2.31	ng/L	✓		2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluorooctanoic acid (PFOA)*	14.2	ng/L	✕		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoropentanoic acid (PFPeA)*	3.34	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:22PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	88	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	71	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	66	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	94	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-001
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-008 (MVD-2)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:28AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	99	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	88	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	81	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[13C8]octanoic acid	78	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Perfluoro-n-[13C9]nonanoic acid	65	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	96	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	95	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	88	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Sodium perfluoro-[13C8]octanesulfonate	101	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	103	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	101	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:22PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-002
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-012 (MVD 9)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:29AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorobutanesulfonic Acid (PFBS)*	3.17	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorobutanoic Acid (PFBA)*	3.20	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-002
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-012 (MVD 9)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:29AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoroheptanoic acid (PFHpA)*	2.70	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorohexanesulfonic Acid (PFHxS)*	0.868	ng/L	✓	J	2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorohexanoic acid (PFHxA)*	2.63	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorooctanesulfonic acid (PFOS)*	1.76	ng/L	✓	J	2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluorooctanoic acid (PFOA)*	14.6	ng/L	✕		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoropentanoic acid (PFPeA)*	1.89	ng/L		J	2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 01:49PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	83	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	86	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	84	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	87	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	89	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-002
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-012 (MVD 9)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:29AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	94	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	89	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	89	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[13C8]octanoic acid	88	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Perfluoro-n-[13C9]nonanoic acid	83	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	95	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	78	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Sodium perfluoro-[13C8]octanesulfonate	97	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	99	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 01:49PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-003
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-512 (TP-2/9)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:38AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF3OUdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorobutanesulfonic Acid (PFBS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorobutanoic Acid (PFBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-003
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-512 (TP-2/9)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:38AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoroheptanoic acid (PFHpA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorohexanesulfonic Acid (PFHxS)*	<2.00	ng/L	✓		2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorohexanoic acid (PFHxA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorooctanesulfonic acid (PFOS)*	<2.00	ng/L	✓		2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluorooctanoic acid (PFOA)*	<2.00	ng/L	✓		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoropentanoic acid (PFPeA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:02PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	51	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	78	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	70	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	56	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	56	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-003
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-512 (TP-2/9)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:38AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	57	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	56	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	86	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[13C8]octanoic acid	58	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Perfluoro-n-[13C9]nonanoic acid	62	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	105	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	104	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	105	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Sodium perfluoro-[13C8]octanesulfonate	106	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	107	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	107	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:02PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-004
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-011 (MVD-4R)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:07AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorobutanesulfonic Acid (PFBS)*	6.03	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorobutanoic Acid (PFBA)*	5.35	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-004
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-011 (MVD-4R)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:07AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoroheptanoic acid (PFHpA)*	12.1	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorohexanesulfonic Acid (PFHxS)*	2.77	ng/L	✓		2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorohexanoic acid (PFHxA)*	18.1	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorononanoic acid (PFNA)*	0.760	ng/L	✓	J	2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorooctanesulfonic acid (PFOS)*	4.37	ng/L	✓		2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluorooctanoic acid (PFOA)*	86.7	ng/L	✕		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoropentanesulfonic acid (PFPeS)*	0.811	ng/L		J	2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoropentanoic acid (PFPeA)*	10.8	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:16PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	79	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	78	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	70	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	86	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	86	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-004
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-011 (MVD-4R)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:07AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	90	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	83	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	86	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[13C8]octanoic acid	74	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Perfluoro-n-[13C9]nonanoic acid	67	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	99	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	89	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	92	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Sodium perfluoro-[13C8]octanesulfonate	103	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	103	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	100	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:16PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-005
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-005 (MVD-5)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:08AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorobutanesulfonic Acid (PFBS)*	5.01	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorobutanoic Acid (PFBA)*	4.82	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-005
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▼
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-005 (MVD-5)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:08AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoroheptanoic acid (PFHpA)*	8.65	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorohexanesulfonic Acid (PFHxS)*	2.07	ng/L	✓		2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorohexanoic acid (PFHxA)*	13.5	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorooctanesulfonic acid (PFOS)*	2.27	ng/L	✓		2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluorooctanoic acid (PFOA)*	49.5	ng/L	✕		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoropentanoic acid (PFPeA)*	9.07	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:30PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	81	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	58	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	53	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	87	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	87	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-005
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-005 (MVD-5)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:08AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	89	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	83	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	67	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[13C8]octanoic acid	72	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Perfluoro-n-[13C9]nonanoic acid	57	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	96	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	87	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	89	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Sodium perfluoro-[13C8]octanesulfonate	98	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	101	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	100	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:30PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-006
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-509 (TP-4/5)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:03AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF30NS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorobutanesulfonic Acid (PFBS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorobutanoic Acid (PFBA)*	7.59	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
 Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-006
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▼
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-509 (TP-4/5)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:03AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoroheptanoic acid (PFHpA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorohexanesulfonic Acid (PFHxS)*	<2.00	ng/L	✓		2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorohexanoic acid (PFHxA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorooctanesulfonic acid (PFOS)*	<2.00	ng/L	✓		2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluorooctanoic acid (PFOA)*	<2.00	ng/L	✓		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoropentanoic acid (PFPeA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:43PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	78	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	89	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	87	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	87	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	86	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM



Donald A. D'Anjou

Donald A. D'Anjou, Ph. D.
 Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-006
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-509 (TP-4/5)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 11:03AM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	84	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	83	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	91	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[13C8]octanoic acid	85	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Perfluoro-n-[13C9]nonanoic acid	84	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	98	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	99	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	96	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Sodium perfluoro-[13C8]octanesulfonate	99	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	104	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	106	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:43PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-007
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-007 (MVD-7)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:12PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorobutanesulfonic Acid (PFBS)*	2.30	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorobutanoic Acid (PFBA)*	2.55	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
 Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-007
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▼
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-007 (MVD-7)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:12PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoroheptanoic acid (PFHpA)*	2.62	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorohexanesulfonic Acid (PFHxS)*	1.35	ng/L	✓	J	2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorohexanoic acid (PFHxA)*	2.60	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorooctanesulfonic acid (PFOS)*	2.90	ng/L	✓		2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluorooctanoic acid (PFOA)*	22.4	ng/L	✕		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoropentanoic acid (PFPeA)*	1.77	ng/L		J	2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 02:57PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	90	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	91	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	94	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM



Donald A. D'Anjou

Donald A. D'Anjou, Ph. D.
 Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-007
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-007 (MVD-7)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:12PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	98	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[13C8]octanoic acid	94	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Perfluoro-n-[13C9]nonanoic acid	92	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	90	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	101	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	78	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Sodium perfluoro-[13C8]octanesulfonate	98	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	99	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	97	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 02:57PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-008
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-009 (MVD-8)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:13PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF30NS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/26/2025 12:24PM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorobutanesulfonic Acid (PFBS)*	1.97	ng/L		J	2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorobutanoic Acid (PFBA)*	1.97	ng/L		J	2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-008
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▼
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-009 (MVD-8)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:13PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoroheptanoic acid (PFHpA)*	2.61	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorohexanesulfonic Acid (PFHxS)*	1.05	ng/L	✓	J	2.00	18 ng/L	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorohexanoic acid (PFHxA)*	2.71	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorooctanesulfonic acid (PFOS)*	1.49	ng/L	✓	J	2.00	15 ng/L	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluorooctanoic acid (PFOA)*	19.5	ng/L	✕		2.00	12 ng/L	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoropentanoic acid (PFPeA)*	1.64	ng/L		J	2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/27/2025 03:10PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	94	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	88	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	95	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	98	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-008
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-009 (MVD-8)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:13PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	101	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	98	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	95	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[13C8]octanoic acid	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Perfluoro-n-[13C9]nonanoic acid	87	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	93	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	107	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	80	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Sodium perfluoro-[13C8]octanesulfonate	104	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	103	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	101	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/27/2025 03:10PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-009
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	
Fails EPA Primary	
Fails EPA Secondary	
Fails State Guideline	
Attention	

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-510 (TP-7/8)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:25PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic Acid (11CI-PF30UdS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9CI-PF3ONS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Date Extracted	-					No Limit	EPA 533	TF-NH	06/30/2025 08:59AM
Hexafluoropropylene oxide dimer acid (HFPO-DA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoro-3-methoxypropanoic acid (PFMPA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoro-4-methoxybutanoic acid (PFMBA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorobutanesulfonic Acid (PFBS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorobutanoic Acid (PFBA)*	0.922	ng/L		J	2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM



Donald A. D'Anjou, Ph. D.
Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
 Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-009
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-510 (TP-7/8)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:25PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluorodecanoic Acid (PFDA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorododecanoic acid (PFDoA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoroheptanesulfonic acid (PFHpS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoroheptanoic acid (PFHpA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorohexanesulfonic Acid (PFHxS)*	<2.00	ng/L	✓		2.00	18 ng/L	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorohexanoic acid (PFHxA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorononanoic acid (PFNA)*	<2.00	ng/L	✓		2.00	11 ng/L	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorooctanesulfonic acid (PFOS)*	<2.00	ng/L	✓		2.00	15 ng/L	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluorooctanoic acid (PFOA)*	<2.00	ng/L	✓		2.00	12 ng/L	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoropentanesulfonic acid (PFPeS)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoropentanoic acid (PFPeA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
Perfluoroundecanoic acid (PFUnA)*	<2.00	ng/L			2.00	No Limit	EPA 533	DL-NH	06/30/2025 09:11PM
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy-13C3)propanoic acid	64	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[1,2,3,4,5,6,7-13C7]undecanoic acid	47	%	⊗	\$		50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[1,2,3,4,5,6-13C6]decanoic acid	39	%	⊗	\$		50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[1,2,3,4,5-13C5]pentanoic acid	72	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[1,2,3,4,6-13C5]hexanoic acid	69	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM



Donald A. D'Anjou

Donald A. D'Anjou, Ph. D.
 Laboratory Director



GRANITE STATE ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038
Phone (800) 699-9920 | (603) 432-3044 website www.granitestateanalytical.com

DRINKING WATER NON COMPLIANCE REPORT

DATE PRINTED: 07/02/2025
SAMPLE ID #: 2506-06236-009
SAMPLED BY: Merrimack Village Dist

CHEMICAL RESULTS FOR THE QUARTER 2025
LAB ID#: 1015

Legend	
Passes	✓
Fails EPA Primary	⊗
Fails EPA Secondary	▽
Fails State Guideline	✕
Attention	⚠

SAMPLE CATEGORY: Routine Sample
SYSTEM NAME: Merrimack Village Dist
SYSTEM TOWN: Merrimack
SAMPLE AGENT #: 603-424-9241
SAMPLE LOCATION: 1531010-510 (TP-7/8)

EPA ID#: 1531010

DATE & TIME COLLECTED: 06/25/2025 12:25PM
DATE & TIME RECEIVED: 06/25/2025 01:48PM
WATER SYS TYPE: Community
RECEIPT TEMP: 15.6° CELSIUS
CLIENT JOB #:

BAR CODE:

Test Description	Result	Test Units	Pass /Fail	DQ Flag	RL	Limit	Method	Analyst	Date & Time Analyzed
Perfluoro-n-[1,2,3,4-13C4]butanoic acid	73	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[1,2,3,4-13C4]heptanoic acid	63	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[1,2-13C2]dodecanoic acid	58	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[13C8]octanoic acid	53	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Perfluoro-n-[13C9]nonanoic acid	41	%	⊗	\$		50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]decane sulfonate	100	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]hexane sulfonate	104	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Sodium 1H,1H,2H,2H-perfluoro-1-[1,2-13C2]octane sulfonate	103	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Sodium perfluoro-[13C8]octanesulfonate	107	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Sodium perfluoro-1-[1,2,3-13C3]hexanesulfonate	109	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM
Sodium perfluoro-1-[2,3,4-13C3]butanesulfonate	110	%	✓			50-200%	EPA 533 - IDA	DL-NH	06/30/2025 09:11PM



Donald A. D'Anjou, Ph. D.
Laboratory Director

